

L Number	Hits	Search Text	DB	Time stamp
-	2	("5771353").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 14:50
-	3	959600.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 14:53
-	2	10233820.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 14:58
-	1	bonefas-rudy-g.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 15:00
-	6	bonefas.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 15:00
-	12867	(client or host) and server and (wireless same network) and message	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 15:37
-	10580	((client or host) and server and (wireless same network) and message) and (protocol or "protocol gateway")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 15:37
-	2714	((((client or host) and server and (wireless same network) and message) and (protocol or "protocol gateway"))) and (rout\$3 with message)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 15:38
-	116	(((((client or host) and server and (wireless same network) and message) and (protocol or "protocol gateway"))) and (rout\$3 with message)) and ((authenticat\$3 or verif\$4 or determin\$5) with ((origin or start or location or where) near\$5 message))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 08:25
-	20	(((((client or host) and server and (wireless same network) and message) and (protocol or "protocol gateway"))) and (rout\$3 with message)) and ((authenticat\$3 or verif\$4 or determin\$5) with ((origin or start or location or where) near\$5 message))) and ((database or storage or memory) with router)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 15:41
-	6	(((((client or host) and server and (wireless same network) and message) and (protocol or "protocol gateway"))) and (rout\$3 with message)) and ((authenticat\$3 or verif\$4 or determin\$5) with ((origin or start or location or where) near\$5 message))) and ((database or storage or memory) with router)) and @ad<20001220	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 08:31
-	121	(((((client or host) and server and (wireless same network) and message) and (protocol or gateway or "protocol gateway"))) and (rout\$3 with message)) and ((authenticat\$3 or verif\$4 or determin\$5) with ((origin or start or location or where) near\$5 message)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 08:26

-	20	(((((client or host) and server and (wireless same network) and message) and (protocol or gateway or "protocol gateway")) and (rout\$3 with message)) and ((authenticat\$3 or verif\$4 or determin\$5) with ((origin or start or location or where) near\$5 message)) and ((database or storage or memory) with router))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 08:27
-	12	(((((client or host) and server and (wireless same network) and message) and (protocol or "protocol gateway")) and (rout\$3 with message)) and ((authenticat\$3 or verif\$4 or determin\$5) with ((origin or start or location or where) with message))) and ((database or storage or memory) with router)) and @ad<20001220	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 08:31
-	1468	(709/238).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 11:30
-	223	((709/238).CCLS.) and authenticat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 11:34
-	61	((709/238).CCLS.) and authenticat\$3) and ((database or storage or memory) same authenticat\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 11:32
-	102	((709/238).CCLS.) and authenticat\$3 and @ad<20001220	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 13:43
-	89	((709/238).CCLS.) and authenticat\$3 and @ad<20000131	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/13 11:10
-	7463	((709/217) or (709/218) or (709/219) or (709/230) or (709/242) or (709/311) or (713/153) or (713/161) or (713/168) or (713/170)).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/13 11:04
-	1931	((709/217) or (709/218) or (709/219) or (709/230) or (709/242) or (709/311) or (713/153) or (713/161) or (713/168) or (713/170)).CCLS.) and (wireless same network)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 10:19
-	1442	((709/217) or (709/218) or (709/219) or (709/230) or (709/242) or (709/311) or (713/153) or (713/161) or (713/168) or (713/170)).CCLS.) and (wireless same network)) and message	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 10:20
-	1336	((709/217) or (709/218) or (709/219) or (709/230) or (709/242) or (709/311) or (713/153) or (713/161) or (713/168) or (713/170)).CCLS.) and (wireless same network)) and message) and (server or gateway)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 10:20
-	426	((709/217) or (709/218) or (709/219) or (709/230) or (709/242) or (709/311) or (713/153) or (713/161) or (713/168) or (713/170)).CCLS.) and (wireless same network)) and message) and (server or gateway)) and (rout\$3 same (authenticat\$3 or verif\$4 or determin\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/13 11:08

-	408	(((((709/217) or (709/218) or (709/219) or (709/230) or (709/242) or (709/311) or (713/153) or (713/161) or (713/168) or (713/170)).CCLS.) and (wireless same network)) and message) and (server or gateway)) and (rout\$3 same (authentica\$3 or verif\$4 or determin\$5))) and application	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/13 11:09
-	81	(((((709/217) or (709/218) or (709/219) or (709/230) or (709/242) or (709/311) or (713/153) or (713/161) or (713/168) or (713/170)).CCLS.) and (wireless same network)) and message) and (server or gateway)) and (rout\$3 same (authentica\$3 or verif\$4 or determin\$5))) and application) and ((database or storage or memory) same router)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/13 11:09
-	25	(((((709/217) or (709/218) or (709/219) or (709/230) or (709/242) or (709/311) or (713/153) or (713/161) or (713/168) or (713/170)).CCLS.) and (wireless same network)) and message) and (server or gateway)) and (rout\$3 same (authentica\$3 or verif\$4 or determin\$5))) and application) and ((database or storage or memory) same router)) and @ad<20000131	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/13 11:11
-	1	"6097797".PN.	USPAT	2004/01/13 11:23
-	1	"6526026".PN.	USPAT	2004/01/13 11:23
-	1	"6453356".PN.	USPAT	2004/01/13 11:23
-	1	"6356529".PN.	USPAT	2004/01/13 11:24
-	1	"6339795".PN.	USPAT	2004/01/13 11:24
-	1	"6333919".PN.	USPAT	2004/01/13 11:24
-	1	"6310888".PN.	USPAT	2004/01/13 11:24
-	149	(((((709/217) or (709/218) or (709/219) or (709/230) or (709/242) or (709/311) or (713/153) or (713/161) or (713/168) or (713/170)).CCLS.) and (wireless same network)) and message) and (server or gateway)) and (rout\$3 same (authentica\$3 or verif\$4 or determin\$5))) and application) and @ad<20000131	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/13 11:25
-	27	((((709/238).CCLS.) and authentica\$3) and ((database or storage or memory) same authentica\$3)) and @ad<20001220	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/13 11:55
-	1	"6044088".PN.	USPAT	2004/01/14 08:35
-	26044	message with rout\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 10:22
-	12604	(message with rout\$3) and (gateway or server)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 10:22
-	3765	((message with rout\$3) and (gateway or server)) and (wireless with network)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 08:51
-	258	((message with rout\$3) and (gateway or server)) and (wireless with network)) and (segment with message)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 10:23
-	101	((message with rout\$3) and (gateway or server)) and (wireless with network)) and (segment with message)) and acknowledgment	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 09:34

-	38	(((((message with rout\$3) and (gateway or server)) and (wireless with network)) and (segment with message)) and acknowledgment) and @ad<20000131	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 09:34
-	131	(((((message with rout\$3) and (gateway or server)) and (wireless with network)) and (segment with message)) and acknowledged\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 09:34
-	53	(((((message with rout\$3) and (gateway or server)) and (wireless with network)) and (segment with message)) and acknowledged\$5) and @ad<20000131	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 10:23
-	7539	((709/201) or (709/202) or (709/203) or (709/205) or (709/206)).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 10:18
-	1920	((((709/201) or (709/202) or (709/203) or (709/205) or (709/206)).CCLS.) and (wireless same network)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 10:19
-	1533	((((709/201) or (709/202) or (709/203) or (709/205) or (709/206)).CCLS.) and (wireless same network)) and message	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 10:20
-	1463	(((((709/201) or (709/202) or (709/203) or (709/205) or (709/206)).CCLS.) and (wireless same network)) and message) and (server or gateway)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 10:20
-	418	((((709/201) or (709/202) or (709/203) or (709/205) or (709/206)).CCLS.) and (wireless same network)) and (message with rout\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 10:22
-	408	(((((709/201) or (709/202) or (709/203) or (709/205) or (709/206)).CCLS.) and (wireless same network)) and (message with rout\$3)) and (gateway or server)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 10:22
-	145	(((((709/201) or (709/202) or (709/203) or (709/205) or (709/206)).CCLS.) and (wireless same network)) and (message with rout\$3)) and segment	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 10:23
-	51	(((((709/201) or (709/202) or (709/203) or (709/205) or (709/206)).CCLS.) and (wireless same network)) and (message with rout\$3)) and segment) and @ad<20000131	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 11:34
-	2	("6247048").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 11:27
-	2	("5754774").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 11:30
-	847	(client or device or host) with segmen\$4 with message	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 11:32

-	439	((client or device or host) with segmen\$4 with message) and (server or gateway)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 11:32
-	141	((((client or device or host) with segmen\$4 with message) and (server or gateway)) and (message with (maximum or threshold or exceed or "greater than"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 11:34
-	64	(((((client or device or host) with segmen\$4 with message) and (server or gateway)) and (message with (maximum or threshold or exceed or "greater than")))) and @ad<20000131	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 11:34
-	3138	server with acknowledg\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 15:20
-	147	(server with acknowledg\$5) and (message with segment)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 15:22
-	70	((server with acknowledg\$5) and (message with segment)) and @ad<20000131	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/15 09:50
-	102	((rout\$4 with acknowledg\$5) and (message with segment)) and @ad<20000131	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/15 08:09
-	21	(((((rout\$4 with acknowledg\$5) and (message with segment)) and @ad<20000131) and server) and gateway	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/15 08:10
-	37	((((rout\$4 with acknowledg\$5) and (message with segment)) and @ad<20000131) and server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/15 09:08
-	2	("6233577").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/15 09:08
-	7	((server near3 (send or transmit) near3 acknowledg\$5) and (message with segment)) and @ad<20000131	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/15 09:58
-	264	(server near3 (send or transmit) near3 acknowledg\$5) and @ad<20000131	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/15 09:59
-	87	((server near3 (send or transmit) near3 acknowledg\$5) and @ad<20000131) and (gateway or proxy)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/15 10:00
-	78	((((server near3 (send or transmit) near3 acknowledg\$5) and @ad<20000131) and (gateway or proxy)) and rout\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/15 13:52

-	2	("6507589").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/15 13:53
---	---	-----------------	---	------------------